AN EROGONOMICALLY EFFECT OF INCRESEASING WORKING HOURS OF COMPUTER OPERATOR

Y.B. Bhagat¹ and **V.B.** Bhagat²

¹Department of Mechanical Engineering, Dr. Rajendra Gode Institute of Technology & Research, Amravati.
²Department of Computer Sci. & Engineering, P.R.Pote College of Engineering & Management, Amravati yogita.awate@gmail.com

ABSTRACT

This paper ergonomically studies an effect of increasing working hours of computer operator. For that used Computer application Laboratory of college having computer and Red chair ten subjective (02 female and 08 male) are taken. Subjective work on computer for two and four hours and after they given questionnaire of Google form having eleven question five question are name, age range ,gender and have body pain parameter like head,hand,eyes,knee,back,neck for two and four hour working on computer. Remaining six question focus on body pain parameter like back, neck, foot swelling for two and four working. Analysis of Google form result shows females and male have more pain in back. Neck than foot swelling.

Keywords: Ergonomic, male, female, operator

I. Introduction

Ergonomics concern how working condition and physical task effect on body of operator .Ergonomically design workstation improve performance of operator and increasing the productivity [1 and 2]. Two different temperature condition of overhead work period. No effect in MVC, as a sign of overall muscle fatigue [3]. The study by comparing sick leave statistics shows that eight hour daily shift of sewing machine operator 408 have musculoskeletal complaints. [4] The decrease productivity and error is increasing in work of hospital nurses and harvesting worker when the working hours increase of extended work shifts and overtime and night shift. [5-6]. The current research finding that the long working hours causes an accidents and injuries to operators. [7] The study gives relationship between work time, job difficult gives to result positive and negative. The positive aspects focus on control work time and job complexity to give satisfaction and family balance .The negative aspect focus that increase work time and job complexity result to unsatification and work family balance. [8-9] 78% of worker of forest report that fatigue was experienced sometimes because of long working hours sleep reduce. [11]

II. Material

The study was conducted in the computer software Application Laboratory of the Mechanical Engineering Department of college. Laboratory have more than 25 computer and taken red chair having no adjustment of height of chair. Ten subjective 02 female and 08 males are participated in this study.





Fig. 1. Subjective Task doing on computer





III. Methodology

The selected task was given to ten subjective to typing the documents on Microsoft office words on computer using keyboard and mouse for two and four hours using only with red chair. Ten subjective done tasks without break having water bottle .All Tube light and fans are on in computer software laboratory. All ten Subjective age ranges from 21 to 60 Years. Google form with questionnaire send to ten subjective mobile what up number after task complete, they submit the Google form

A. Google Forms

The Google form have eleven question .out of eleven question five are like Name, age range, gender and following question about body pain are as

1) When you work on computer for two hour on red chair in computer software Application lab, then you have pain

- a) Head
- b) Neck
- c) Eyes
- d) Back
- e) Foot
- f) Knee

2) When you work on computer for four hour on red chair in computer software Application lab, then you have pain

- a) Head
- b) Neck
- c) Eyes
- d) Back
- e) Foot
- f) Knee

And Remaining six question out of eleven are used Scale are as follows

TABLE I. Table shows scale

Number of Scale	Description	
01	strongly disagree	
02	disagree	
03	slightly disagree	
04	neither agree nor disagree	
05	slightly agree	
06	agree	
07	strongly agree	

Following are six questions in Google form used scale

To given answer

1) If you have pain in Neck (Two hours duration Works)

2) If you have pain in Neck (four hours duration Works)

3) If you have pain in Back (two hours duration Works)

4) If You have pain in Back (four hours duration Works)

5) If You have swelling in foot (two hours duration Work)

6) If you have swelling in foot (four hours duration Works)

Questions Responses	Total points: 0			
		\oplus		
Questionnaire		9		
Work on Computer in CSA Lab for two or four hours		Ττ		
Email address *				
Valid email address		۴		
This form is collecting email addresses. Change settings				
1. Enter Your Full Name				
Short answer lext				
2. Enter your Gender *				
🔿 Male				
) Female				

Fig. 3. Google form of Questionnnarie

IV. Result And Discussion

After the task on computer of four hour completed by 10 subjective, they submit the Google form having eleven questions. Eleven question result and discussion are as follows

A. Work time from two to four hours

All 02 female and 08 male operator Reponses data were summarized in Table II and III using Google form responses shows that increasing the working from two to four hour's body pain parameters like back ,Neck, hands, eyes, knee, foot, head also increases.

Figure 4 shows for two hours working of male and female operators have 70% back,50% Neck,40% eyes ,20% head ,0% knee,0% foot , 0% hands pain. Figure 5 shows for four hours working of male and female operators on computer have 90% back ,70 % Neck ,70% eyes,30% head ,20 % Hands,10% knee,10% foot pains.

Gender	Age	Work for two hours	Work for four hours
Female	41- 50	Neck, Back, Head	Neck, Back, Foot, Head, Eyes
Female	31- 40	Eyes	Eyes

TABLE II. Effect of Increasing working hours on female

TABLE III. Effect of Increasing working hours on male

Gender	Age	Work for	Work for four
		two hours	hours
Male	31-	Back, Head	Neck, Back,
	40		Head, Eyes
Male	31-	Neck, Eyes	Neck, Back,
	40		Eyes, Hands
Male	21-	Neck, Back,	Neck, Back,
	30	Eyes	Knee, Eyes,
			Hands
Male	31-	Back	Back, Eyes
	40		
Male	21-	Neck, Back	Neck, Back,
	30		Eyes
Male	41-	Eyes	Back
	50	-	
Male	41-	Back	Neck, Back,
	50		Head
Male	31-	Neck, Back	Neck, Back
	40		




Fig. 4. Effect of body pain in percentage for two hour work.




Fig. 5. Effect of Body pain in percentage for four hour work

B. Effect of Working works using Scale

Six question ask in Google form to 10 subjective using scale have 01 to 07 number using three main parameter Back , Neck , Foot Swelling pain for two to four hours working.

1) Neck pain: Figure 6 indicate the neck pain effect on 08 male and 02 female operators working on computer for two hours shows 30 % agree,30% Sligtly agree, 10% strongly agree have neck pain ,20% neither agree nor disagre. 10% disagree Figure 7 neck pain effect on 08 male and 02 female operators working on computer for four hours shows 50 % Sligtly agree, 30% strongly agree ,10% agree have neck pain ,10% neither agree nor disagre.




Fig. 6. Effect of Neck pain in for two hour work




Fig. 7. Effect of Neck pain in for four hour work

2) Back pain: Figure 8 shows the nback pain effect on 10 subjective working on computer for two hours shows 40 % agree, 30% Sligtly agree, 20% strongly agree have neck pain ,10% neither agree nor disagre. Figure 9 neck pain effect on 08 male and 02 female operators working on computer for four hours shows 30 % Sligtly agree, 50% strongly agree ,20% agree have back pain .






Fig. 8. Effect of back pain in for two hour work




Fig. 9. Effect of back pain in for four hour work

3) Foot Swelling: Figure 10 indicate the of foot swelling in 10 subjective for two hours shows 20 % agree,10% Sligtly agree, have foot swelling pain ,10% neither agree nor disagre and 20% strongly disagree, 20% disagree,20% slightly disagree have not foot swelling. Figure 11 shows the effect of foot swelling 08 male and 02 female operators working on computer for four hours indicate 10% strongly agree, ,20% agree ,10% Sligtly agree, have foot swelling and 20% neither agree nor disagree 20% disagree, 20% disagree ,20% strongly agree ,20% strongly disagree have not foot swelling.

Fig. 10. Effect of foot swelling for two hour work




Fig. 11. Effect of foot swelling for four hour work

V. Conclusion

After the analysis of Google forms of Questionnaire are following are conclusions

- 1. Conclude that from table II and III body pain parameter increase by working hours.
- From figure 4 and 5 say that 70 % means 07 subjective suffering from back pain for two hours and 90 % means 09 subjective suffering from back pain.
- 3. From figure 6 and 7 say that 70 % agree for neck pain in two hours of work and 90% agree for four of work.
- 4. From figure 8 and 9, say that 90 % back pain for two hour work and 100 % back pain for four hour work.
- 5. There is slightly effect in knee, foot, head pain parameter.

References

 Sofia Wilhelmsson a,*, Maria Andersson a , Inger Arvidsson b, Camilla Dahlqvist b, Paul H. Hemsworth c, Jenny Yngvesson a, Jan Hultgren. Physical workload and psychosocial working conditions in Swedish pig transport drivers Elsevier Science Publishers,

2. Ibrahim H. Garbie. An Experimental Study On Assembly Workstation Considering Ergonomically Issues.

- 3. Julie Renberg a,b,* , Øystein Nordrum Wiggen a , Per Øyvind Stranna Tvetene c , Hilde Færevik a , Mireille Van Beekvelt c , Karin Roeleveld Effect of working position and cold environment on muscle activation level and fatigue in the upper limb during manual work tasks.
- Working hours as a risk factor in the development of musculoskeletal complaintsM. WÆRSTED &R. H. WESTGAARD Pages 265-276 | Published online: 30 May 2007
- 5. The Working Hours Of Hospital Staff Nurses And Patient Safety
- Ann E. Rogers , Wei-Ting Hwang, Linda D. Scott, Linda H. Aiken, and David F. Dinges
- 7. Harvester Productivity and Operator Fatigue: Working Extended Hours Andrew Nicholls The University of Melbourne Australia Leon Bren The University of Melbourne Australia Neil Humphreys Australian National University Canberra
- The Productivity of Working Hours John Pencavel The Economic Journal, Volume 125, Issue 589, 1 December 2015, Pages 2052–

2076, https://doi.org/10.1111/ecoj.12166 Published:09 October 2014

- 9. Valcour M. (2007) work-based resources as moderate of the relationship between work hours and satisfication with work-family balance.Journal of Applied Psychology,92(6),1512-1253
- 10. Peter Knauth , 2007. Extended work periods .Industrial Health 45, 125-136
- 11. N W H Jansen, L G P M van Amelsvoort, T S Kristensen, P A van den Brandt, IJ Kant.
 2003 Work schedules and fatigue: a prospective cohort study OccupEnviron Med 2003;60(suppl I):i47-i53
- RebbeccaLilleyAnne-MarieFeyerPatrickKirkPhilippaGander
 2002 Journal of Safety Research, Pages 53-71.
- Ayoub, M.A., 1990a. Ergonomic deficiencies: I. Pain at work. J. of Occupational Medicine. 32(1), 52-57.
- Ayoub, M.A.1990b. Ergonomic deficiencies: II. Probable causes. J. of Occupational Medicine. 32(2), 131-136.
- Shikdar, A., Al-Hadhrami, M., 2007. Smart workstation design: an ergonomics and methods engineering approach. Int. J. of Industrial and Systems Engineering. 2(4), 363-374.